

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Amendments to the Specification:

Please replace the Abstract of the Disclosure with the following rewritten Abstract of the Disclosure:

-- The present invention relates to a method for fabricating a functional dental element, such as a crown. According to the invention, use is made of a three-dimensional printing technique. The major advantages of the invention are that no mold is needed anymore, which entails a considerable saving of costs, that a great accuracy is achieved, and that the element can be made of different materials. --

Please insert the following heading before the paragraph beginning at page 1, line 1:

-- **BACKGROUND OF THE INVENTION**

(1) Field of the Invention --

Please insert the following heading before the paragraph beginning at page 1, line 3:

-- (2) Description of Related Art --

Please insert the following heading before the paragraph beginning at page 2, line 23:

-- **SUMMARY OF THE INVENTION** --

Please insert the following heading before the paragraph beginning at page 3, line 10:

-- **DETAILED DESCRIPTION OF THE INVENTION** --

Please replace the paragraph beginning at page 7, line 12 with the following rewritten paragraph:

-- When a ceramic material is used for forming the dental element, this is preferably selected from the group of SiO₂, Al₂O₃, K₂O, Na₂O, CaO, Ba₂O, CrO₂, TiO₂, BaO, CoO₂, La₂O₃, MgO, ZnO, Li₂O and combinations thereof. Optionally, ceramic compositions can further contain F or P₂O₅. Particularly suitable ceramic materials are the commercially available compositions Vitadur®, IPS Empress®, Dicor®, IPS Empress II®, Cerestone®, Cere Pearl® and In-Ceram®

VITADUR®, IPS EMPRESS®, DICOR®, IPS EMPRESS II®, CERESTONE®,
CEREPEARL® and IN-CERAM®. —